Qingyuan,china

iBOSS

ROSH

PETG

US\$5.5

5-7days

1000000kg

L/C, D/A, D/P, T/T,

### 3D Printing Filament Light Blue PETG Filament 1.75mm FDM Forming **Technology 3d Printed**

1KG/PCS, packed into a 30\*35CM PU

CTNs(21.5\*20.5\*6.9CM) in a 43.1\*23.2\*43CM box,

vacuum shrink bag, 12 corrugated aircraft

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 48kg/rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

#### **Product Specification**

- Specification:
- Package Gross Weight:
- Forming Technology:
- Tolerance:
- Suitable For:
- Outside Package:
- Spool Size:

1.400kg
FDM
±0.02mm
Universal

1kg

PETG

- Carton

1.75mm±0.02mm Neat rows of	
200MM	
56 MM	

### More Images






#### Accurate 3D Printer Filament Diameter


Ensuring smooth and uniform extrusion for superior prints.

### **Product Description**

3D Printing Filament Light Blue PETG Filament 1.75mm FDM Forming Technology 3d Printed Introducing our 3D Printing Filament in Light Blue PETG! With a diameter of 1.75mm, it is perfect for FDM forming technology. This PETG filament offers excellent strength, high heat resistance, and great dimensional stability. It prints smoothly, producing detailed and durable 3D models. Ideal for both beginners and professionals, bring your creative ideas to life with this top - quality filament.



**Our Product Introduction** 



**PODUCT FEATURES** 

### IMPORTED RAW MATERIALS

Use imported superior raw materials Standardized manufacturing process The production quality is guaranteed





## **HIGH QUALITY**

High quality ensures the efficiency of operation,PLA: No Bubble,No Clogging

## **HIGH TOUGHNESS**

Compared with pla,the toughness is greafly improved: No Cracking,Minimal Warping





## Eco-friendly Non-toxic

Using natural degradable raw materials,Environmental protection, non-toxic and harmless



Can be printed directly without heated build platfom





Low warping

Low warping, stable and efficient suitble for printinglarge models

Model Net Weight (KG) Gross weight Packing box size Color Diameter(mm) Tolerance(mm) Print Temperature (°C) Base plat Temperature (°C) Density **Printing Speed** Melt Index Bubble Length of Line (Ø 1.75±0.2mm) Tensile strength Flexural modulus Izod Notch Impact Strength Elongation at Break Hydroscopicity **Reel Size** 

PETG 1KG 1.3KG 200×200×64mm Light Blue 1.75mm ±0.02mm 200-230°C 60°C 1.23±0.05g/cm3 40-100m 14-18g/10min (190°C,2.16kg) 100% without bubble

1.75mm=330m

≥62Mpa 1970 Mpa 7KJ/m2 52 or 53 (°C, 0.45Mpa) 0.005 Ø20.0cm \* 6.4cm H

# About us



Qingyuan iBOSS Intelligent Technology Co., Ltd. is a high-tech enterprise specializing in the R & D, production and sales of 3D printing consumables and 3D printers. The company is committed to the development and application of 3D printing materials.

With the mission of "developing green and environment-friendly 3D printing materials and promoting human sustainable development", the company is committed to enabling intelligent manufacturing with material technology and providing better product and service experience for users in the global 3D printing industry

CHARVUAN IROSS INTELLIGENT TECHNOLOGY CO., LTD. It is an international team full of enthusiasm for 3D printing. We produce the best 3D printing materials by controlling each stage of production. With a diverse portfolio of materials from high-performance plastics to unique aesthetic solutions, polymaker will continue to add cutting-edge materials to its growing portfolio. Adhering to the corporate philosophy of "integrity, focus, innovation and pragmatism", while striving for the company, the company continues to forge ahead and strive to promote the innovative development of the world's 3D printing industry.



### WHY CHOOSE US ?

Qingyuan iBOSS Intelligent Technology Co., Ltd.



# Certifications



2nd Floor, Decheng Technology Park, No.42 Shilong Road, Shijiao Town, Qingcheng District, Qingyuan, Guangdong Province, China