Qingyuan,china

iBOSS

ROSH

PETG

US\$4

5-7days

L/C,D/A,D/P,T/T,

1000000kg

IBOSS Cyan PETG Filament 3D Printing Filament 1.75mm FDM Forming Technology 3d Printed

1KG/PCS, packed into a 30*35CM PU

CTNs(21.5*20.5*6.9CM) in a 43.1*23.2*43CM box,

vacuum shrink bag, 12 corrugated aircraft

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 48kg/rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:


Product Specification

- Suitable For:
- Spool Size:
- Hs Code:
- Bubble:
- Industry:
- Tensile Strength:
- 1kg 3916909000 100% Without Bubble

Universal

3D Printer 50MPa






More Images



for more products please visit us on iboss3d-export.com

Accurate 3D Printer Filament Diameter and uniform extrusion for superior prints



Product Description

IBOSS Cyan PETG Filament 3D Printing Filament 1.75mm FDM Forming Technology 3d Printed

It is designed for FDM (Fused Deposition Modeling) 3D printers. FDM technology works by melting and depositing thermoplastic filaments layer by layer to create 3D objects. The IBOSS PETG Filament has excellent toughness, resisting cracking and warping. After being subjected to external force, it can quickly return to its original shape without deformation. With a dimensional accuracy of ±0.02mm, it ensures stable and high - quality prints. Ideal for a wide range of 3D printing projects.



Our Product Introduction



DODIICTEEATIIDEC

FUDULIFEATURES

IMPORTED RAW MATERIALS

Use imported superior raw materials Standardized manufacturing process The production quality is guaranteed





HIGH QUALITY

High quality ensures the efficiency of operation,PLA: No Bubble,No Clogging

HIGH TOUGHNESS

Compared with pla,the toughness is greafly improved: No Cracking,Minimal Warping





Eco-friendly Non-toxic

Using natural degradable raw materials,Environmental protection, non-toxic and harmless

SIMPLE OPERATION

Can be printed directly without heated build platfom





Low warping

Low warping, stable and efficient suitble for printinglarge models

Model Net Weight (KG) Gross weight Packing box size Color Diameter(mm) Tolerance(mm) Print Temperature (°C) Base plat Temperature (°C) Density Printing Speed Melt Index Bubble Length of Line (Ø 1.75±0.2mm) Tensile strength Flexural modulus Izod Notch Impact Strength Elongation at Break Hydroscopicity **Reel Size**

PETG 1KG 1.3KG 200×200×64mm Cyan 1.75mm ±0.02mm 200-230°C 60°C 1.23±0.05g/cm3 40-100m 14-18g/10min (190°C,2.16kg) 100% without bubble

1.75mm=330m

≥62Mpa 1970 Mpa 7KJ/m2 52 or 53 (°C, 0.45Mpa) 0.005 Ø20.0cm * 6.4cm H

About us



Qingyuan iBOSS Intelligent Technology Co., Ltd. is a high-tech enterprise specializing in the R & D, production and sales of 3D printing consumables and 3D printers. The company is committed to the development and application of 3D printing materials.

With the mission of "developing green and environment-friendly 3D printing materials and promoting human sustainable development", the company is committed to enabling intelligent manufacturing with material technology and providing better product and service experience for users in the global 3D printing industry

CHARVUAN IROSS INTELLIGENT TECHNOLOGY CO., LTD. It is an international team full of enthusiasm for 3D printing. We produce the best 3D printing materials by controlling each stage of production. With a diverse portfolio of materials from high-performance plastics to unique aesthetic solutions, polymaker will continue to add cutting-edge materials to its growing portfolio. Adhering to the corporate philosophy of "integrity, focus, innovation and pragmatism", while striving for the company, the company continues to forge ahead and strive to promote the innovative development of the world's 3D printing industry.



WHY CHOOSE US ?

Qingyuan iBOSS Intelligent Technology Co., Ltd.



Certifications



2nd Floor, Decheng Technology Park, No.42 Shilong Road, Shijiao Town, Qingcheng District, Qingyuan, Guangdong Province, China