Qingyuan,china

**PETG Filament** 

1KG/PCS, packed into a 30\*35CM PU

CTNs(21.5\*20.5\*6.9CM) in a 43.1\*23.2\*43CM box,

vacuum shrink bag, 12 corrugated aircraft

iBOSS

ROSH

US\$4

5-7days

L/C,D/A,D/P,T/T,

1000000kg

### iBOSS PETG Orange Filament 1.75mm 3D Printing Filament 1KG

#### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 48kg/rolls
- Price:

**Our Product Introduction** 

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

#### **Product Specification**

- Printing Technology:
- FDM • Outside Package: Carton
- Package Gross Weight:
- Diameter:
- Feature:
- Bed Temperature:
- Application:

1.400kg
1.75mm
High Strength

- 70-80°C
- PETG Filament



#### More Images



for more products please visit us on iboss3d-export.com



#### **Product Description**

#### iBOSS PETG Orange Filament 1.75mm 3D Printing Filament 1KG


Discover the iBOSS PETG Orange Filament, a top choice for 3D printing. This 1.75mm, 1KG spool offers remarkable quality. PETG, a blend of polyethylene terephthalate and glycol, combines the strength of ABS with the printability of PLA.

It has good thermal resistance and mechanical strength. With its vivid orange color, it's perfect for creating eyecatching prototypes, models, and DIY projects. It bridges well and requires minimal post - processing. Ideal for both hobbyists and professionals, it ensures smooth printing experiences.

## THE CHOICE OF "STRONG AND TOUGH"



Our Product Introduction



# **PODUCT FEATURES**

#### IMPORTED RAW MATERIALS

Use imported superior raw materials Standardized manufacturing process The production quality is guaranteed





### **HIGH QUALITY**

High quality ensures the efficiency of operation,PLA: No Bubble,No Clogging

# HIGH TOUGHNESS

Compared with pla,the toughness is greafly improved: No Cracking,Minimal Warping





### Eco-friendly Non-toxic

Using natural degradable raw materials,Environmental protection, non-toxic and harmless

# SIMPLE OPERATION

Can be printed directly without heated build platfom





### Low warping

Low warping, stable and efficient suitble for printinglarge models

Model Net Weight (KG) Gross weight Packing box size Color Diameter(mm) Tolerance(mm) Print Temperature (°C) Base plat Temperature (°C) Density Printing Speed Melt Index Bubble Length of Line (Ø 1.75±0.2mm) Tensile strength Flexural modulus Izod Notch Impact Strength Elongation at Break Hydroscopicity **Reel Size** 

PETG 1KG 1.3KG 200×200×64mm Orange 1.75mm ±0.02mm 200-230°C 60°C 1.23±0.05g/cm3 40-100m 14-18g/10min (190°C,2.16kg) 100% without bubble 1.75mm=330m

> ≥62Mpa 1970 Mpa 7KJ/m2 52 or 53 (°C, 0.45Mpa) 0.005 Ø20.0cm \* 6.4cm H

# About us



Qingyuan iBOSS Intelligent Technology Co., Ltd. is a high-tech enterprise specializing in the R & D, production and sales of 3D printing consumables and 3D printers. The company is committed to the development and application of 3D printing materials.

With the mission of "developing green and environment-friendly 3D printing materials and promoting human sustainable development", the company is committed to enabling intelligent manufacturing with material technology and providing better product and service experience for users in the global 3D printing industry

It is an international team full of enthusiasm for 3D printing. We produce the best 3D printing materials by controlling each stage of production. With a diverse portfolio of materials from high-performance plastics to unique aesthetic solutions, polymaker will continue to add cutting-edge materials to its growing portfolio. Adhering to the corporate philosophy of "integrity, focus, innovation and pragmatism", while striving for the company, the company continues to forge ahead and strive to promote the innovative development of the world's 3D printing industry.





