Qingyuan IBoss Smart Technology Co., Ltd.

3D Printer Filament Silk Dual Color Blue Black PLA+ 1.75mmToughness Enhanced Filament

Basic Information

Place of Origin: Qingyuan,china

Brand Name: iBOSS
Certification: ROSH
Model Number: PLA+
Minimum Order Quantity: 48kg/rolls
Price: US\$8.5

• Packaging Details: 1KG/PCS, packed into a 30*35CM PU

vacuum shrink bag, 12 corrugated aircraft

CTNs(21.5*20.5*6.9CM) in a 43.1*23.2*43CM box,

• Delivery Time: 5-7days

• Payment Terms: L/C,D/A,D/P,T/T,

Supply Ability: 10000kg



Product Specification

• State: Coiled

• Printing Temperature: 200-240°C

• Gross Weight: 1.4kg


Compatibility: FDM 3D Printers

Spool Weight: 1kgColor: SilkType: PLA+

• Package Size: 21.00cm * 21.00cm * 7.00cm



More Images









Product Description

3D Printer Filament Silk Dual Color Blue Black PLA+ 1.75mmToughness Enhanced Filament


This 3D printer filament, with a diameter of 1.75mm, is a game-changer for your 3D printing projects. Its dual color design in blue and black creates a unique and eye-catching visual effect, adding an extra dimension to your prints.

Made from enhanced PLA+ material, it offers increased toughness. This means your printed objects are more durable and less likely to break or crack. It has excellent dimensional accuracy of ±0.02mm, ensuring smooth extrusion and consistent prints. With a 1kg spool, it provides enough material for multiple projects. Compatible with most FDM 3D printers, it is easy to use, simply set your nozzle temperature between 200-240°C and bed temperature at 30 - 60°C. Ideal for both beginners and experienced users, it allows you to bring your creative ideas to life with high-quality results.



Accurate 3D Printer Filament Diameter

Ensuring smooth and uniform extrusion for superior prints.



APPLICATION

Work for 99% FDM 3D Printer & 3D Pen





Model
Net Weight (KG)
Gross weight
Packing box size
Diameter(mm)
Tolerance(mm)
Print Temperature (°C)
Base plat Temperature (°C)
Printing Speed
Melt Index
Bubble
Length of Line (Ø 1.75±0.2mm)

PLA+
1KG
1.5KG
21*21*7cm
1.75mm
±0.02mm
200-230°C
60°C
40-100m
14-18g/10min (190°C,2.16kg)
100% without bubble
1.75mm=330m

Certifications









PRODUCTION ABILITY

We have the most advanced equipment and the most professional technicians to produce the best products.

Factory scale 2400 m²

Experience 30+YEARS Our team

55+













iBOSS Qingyuan IBoss Smart Technology Co., Ltd.



0086 15116273361



manager2@iboss3d-export.com



iboss3d-export.com

2nd Floor,Decheng Technology Park,No.42 Shilong Road, Shijiao Town, Qingcheng District,Qingyuan,Guangdong Province,China