#iBOSS Qingyuan IBoss Smart Technology Co., Ltd. iboss3d-export.com

3D Printer Filament 1.75 PETG Mint Green 1kg Toughness Enhanced **Customized Request**

Basic Information

. Place of Origin: Qingyuan,china

Brand Name: **iBOSS ROSH** · Certification:

Model Number: **PETG Filament** • Minimum Order Quantity: 48kg/rolls • Price: us\$5

1KG/PCS, packed into a 30*35CM PU Packaging Details:

High Strength

vacuum shrink bag, 12 corrugated aircraft

CTNs(21.5*20.5*6.9CM) in a 43.1*23.2*43CM box,

Delivery Time: 5-7days

• Payment Terms: L/C,D/A,D/P,T/T,

· Supply Ability: 10000kg




Product Specification

Bubble: 100% Without Bubble

• Origin: China . HS Code: 3916909000 • Supply Ability: 600000kg/Year Desktop Printer Suitable For:

Coiled • State: Diameter: 1.75mm



More Images

• Feature:



Product Description

3D Printer Filament 1.75 PETG Mint Green 1kg Toughness Enhanced Customized Request

This **Mint Green PETG filament** (1.75mm, 1kg) redefines 3D printing versatility with the perfect blend of durability and aesthetic appeal.

Key Features


- Unmatched Toughness: Engineered for resilience, this filament boasts superior impact resistance and tensile strength, ensuring printed parts withstand mechanical stress, making it ideal for functional prototypes, gears, and structural components.
- 2. **Heat-Resistant Performance**: With a high heat deflection temperature (up to 70°C+), it outperforms PLA in high-temperature environments, suitable for automotive parts, kitchen tools, or outdoor applications.
- 3. **Smooth & Reliable Printing**: Designed for low warping and excellent layer adhesion, it delivers consistent, high-resolution prints on most FDM printers. The 1.75mm diameter ensures precise extrusion and minimal material waste.
- 4. **Vibrant Mint Green Finish**: The eye-catching, fade-resistant color adds a professional, modern touch to models, making it perfect for decorative items, educational displays, or branded prototypes.
- 5. **Fully Customizable**: Cater to unique projects with tailored solutions, including color matching, spool size adjustments, or specialized formulations (e.g., UV resistance) upon request.

Applications

Ideal for industrial tooling, robotics, automotive fixtures, and creative designs that demand both strength and visual appeal.


SUITABLE FOR ALL 3D PRINTERS ON THE MARKET





Accurate 3D Printer Filament Diameter

Ensuring smooth and uniform extrusion for superior prints.



Model
Net Weight (KG)
Gross weight
Packing box size
Color
Diameter(mm)

PETG 1KG 1.3KG 200×200×64mm Mint Green 1.75mm

Tolerance(mm) **Print Temperature** (ºC) Base plat Temperature (ºC) Density **Printing Speed** Melt Index **Bubble** Length of Line (Ø 1.75±0.2mm) Tensile strength Flexural modulus **Izod Notch Impact** Strength **Elongation at Break** Hydroscopicity Reel Size

±0.02mm 200-230ºC

60°C

1.23±0.05g/cm3 40-100m 14-18g/10min (190°C,2.16kg) 100% without bubble

1.75mm=330m

≥62Mpa 1970 Mpa

7KJ/m2

52 or 53 (°C, 0.45Mpa) 0.005 Ø20.0cm * 6.4cm H

About us





1. High quality

Using high quality material and establishing a strict quality control system, assigning specific persons in charge of each part of production, from raw material purchase to assembly.

2. Professional R&D center

Employed designers with 15 years working experience in sanitary industry. Each month will release a new series of products.OEM and ODM are warmly welcomed.

3. Fast dispatch

Most of the products are in stock. Quality below 100pcs can be delivered within 15 days.

4.Small order accepted

Low MOQ accepted. 1pcs are available.

Certifications







0086 15116273361



manager2@iboss3d-export.com



iboss3d-export.com