Iboss 3D Printer Filament 1.75 PLA+Silk Peach Rainbow 1.75millimeter **Toughness Enhanced Customized Request**

Our Product Introduction

đ

more products please visit us on iboss3d-export.com

Model Number:	PLA+ Filament
Minimum Order Quantity:	48kg/rolls
Price:	US\$10
Packaging Details:	1KG/PCS, packed into a 30*35CM PU vacuum shrink bag, 12 corrugated aircraft CTNs(21.5*20.5*6.9CM) in a 43.1*23.2*43CM box,
Delivery Time:	5-7days
Payment Terms:	

- 10000kg
- Supply Ability:

Product Specification

Basic Information

• Place of Origin:

• Brand Name:

Certification:

. .

.

• Outer Packing:

• Net Weight:

• Trademark:

• Highlight:

 Compatibility: • Type:

Carton • Transport Package:

Qingyuan,china

iBOSS

ROSH


Vacuum Packed Carton Transport

- 1000g
- IBoss
- FDM 3D Printers
- PLA+
 - PLA Silk Peach Rainbow Filament, 1.75 PLA Silk Peach Rainbow Filament, Customized PLA Silk Peach Bainbow Filament



THE CHOICE OF "STRONG AND TOUGH"

More Images



Product Description

iboss 3D Printer Filament 1.75 PLA+Silk Peach Rainbow 1.75millimeter Toughness Enhanced **Customized Request**

The iboss 3D Printer Filament in 1.75 PLA+Silk Peach Rainbow is a top - tier choice for 3D printing enthusiasts. With a diameter of 1.75 millimeters, it offers remarkable dimensional accuracy with a tolerance of ±0.02mm, ensuring smooth and consistent extrusion in your 3D printer.

This filament is toughness - enhanced, which means your prints will be more durable and less likely to break or crack compared to standard filaments. The unique PLA+Silk composition not only provides strength but also gives a beautiful, smooth finish. The Peach Rainbow colorway is a show - stopper, adding an eye - catching, multi - colored effect to your creations.

It's compatible with 99% of FDM & FFF 3D printers equipped with heated beds and 3D pens. Made from renewable plant derived starch raw materials, it's eco - friendly. Recommended print temperature ranges from 190 - 220 °C, and it has a print speed of 50 - 100 mm/s. Each roll has a gross weight of 1.3 kg, offering you plenty of material to bring your 3D designs to life.


Our Product Introduction











1.75mm=330m

1970 Mpa

Ø20.0cm * 6.4cm H



Certifications









🔇 0086 15116273361 🛛 🖻 manager2@iboss3d-export.com 2nd Floor, Decheng Technology Park, No.42 Shilong Road, Shijiao Town, Qingcheng

District,Qingyuan,Guangdong Province,China