


## iBOSS 3d Printing Filament PLA+ Gold Green Purple Tri- Color 3D Printer 1.75mm PLA+Filament

### Our Product Introduction


#### Basic Information

- Place of Origin: Qingyuan,china
- Brand Name: iBOSS
- Certification: ROHS
- Model Number: PLA +
- Minimum Order Quantity: 48kg/rolls
- Price: US\$9.5
- Packaging Details: 1KG/PCS, packed into a 30\*35CM PU vacuum shrink bag, 12 corrugated aircraft CTNs(21.5\*20.5\*6.9CM) in a 43.1\*23.2\*43CM box,
- Delivery Time: 5-7days
- Payment Terms: L/C,D/A,D/P,T/T
- Supply Ability: 10000kg



#### Product Specification

- Product Tolerances:  $\pm 0.02\text{mm}$
- Applicable: Desktop Printer
- Suitable For: Universal
- Package Size: 21.00cm \* 21.00cm \* 7.00cm
- Weight: 1kg
- Color: Silk Gold Green Purple



#### More Images



## Product Description

### iBOSS 3d Printing Filament PLA+ Gold Green Purple Tri- Color 3D Printer 1.75mm PLA+Filament

The iBOSS PLA+ Gold Green Purple Tri-Color 3D Printer Filament is a game-changer for your 3D printing projects. Measuring 1.75mm in diameter, it fits most FDM 3D printers.

This filament is made from enhanced PLA+ material, ensuring high toughness and better layer adhesion compared to regular PLA. It features a unique tri-color design of gold, green, and purple, adding a touch of magic to your prints. Each 1kg spool offers approximately 330-350 meters of filament. With a diameter tolerance of  $\pm 0.02\text{mm}$ , it guarantees smooth and consistent extrusion. The recommended print temperature is 190 - 220 °C, and the print speed can range from 50 - 100 mm/s.

Ideal for both hobbyists and professionals, it comes in vacuum-sealed packaging to keep it dry and free from contaminants.



## THE CHOICE OF "STRONG AND TOUGH"



● Slightly bent: consumables constantly



● Bend half: consumables constantly



● On bending: consumables constantly

## SUITABLE FOR ALL 3D PRINTERS ON THE MARKET



Model	PLA+
Net Weight (KG)	1KG
Gross weight	1.4KG
Packing box size	21*21*7cm
Diameter(mm)	1.75mm
Tolerance(mm)	±0.02mm



Print Temperature (°C)	200-230°C
Base plat Temperature (°C)	60°C
Density	1.23±0.05g/cm3
Printing Speed	50-100m
Melt Index	14-18g/10min (190°C,2.16kg)
Bubble	100% without bubble
Length of Line (Ø 1.75±0.2mm)	1.75mm=330m

## About us



## PRODUCTION ABILITY

We have the most advanced equipment and the most professional technicians to produce the best products.

Factory scale  
**2400m<sup>2</sup>**

Experience  
**30+ YEARS**

Our team  
**55+**



## WHY CHOOSE US ?

Qingyuan iBOSS Intelligent Technology Co., Ltd.



### SERVICE



Professional team to provide you with efficient service.

### QUALITY



With strict quality control system, quality first

### ODM&OEM



We have more than 30 years of OEM and ODM experience

### FACTORY SCALE




We have 400 square meters for this office and 2,000 square meters for the factory




## Certifications



DELIVERY&PAYMENT



L/C T/T

 **iBOSS** Qingyuan IBoss Smart Technology Co., Ltd.

☎ 0086 15116273361

✉ [manager2@iboss3d-export.com](mailto:manager2@iboss3d-export.com)

🌐 [iboss3d-export.com](http://iboss3d-export.com)

2nd Floor, Decheng Technology Park, No.42 Shilong Road, Shijiao Town, Qingcheng District, Qingyuan, Guangdong Province, China