

PLA+ Matte Mint Green 3D Printing Filament 100g Printing Temperature 210-230°C Custom

Our Product Introduction

for more products please visit us on iboss3d-export.com

Basic Information

- Place of Origin: Qingyuan, china
- Brand Name: iBOSS
- Certification: ROHS
- Model Number: PLA+
- Minimum Order Quantity: 48kg/rolls
- Price: US\$8
- Packaging Details: 1KG/PCS, packed into a 30*35CM PU vacuum shrink bag, 12 corrugated aircraft CTNs(21.5*20.5*6.9CM) in a 43.1*23.2*43CM box,
- Delivery Time: 5-7days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union
- Supply Ability: 10000kg




Product Specification

- Currency: US\$
- Density: 1.25g/cm³
- Package Gross Weight: 1.400kg
- Filament Diameter: 1.75mm
- Origin: China
- Tensile Strength: 60MPa



More Images




Product Description

PLA+ Matte Mint Green 3D Printing Filament 100g Printing Temperature 210-230°C Custom



Introducing our PLA+ Matte Mint Green 3D Printing Filament! This 100g spool is perfect for all your creative projects. Made from high-quality PLA+ material, it offers enhanced strength and durability compared to regular PLA. The matte mint green color adds a touch of elegance to your prints, making them stand out. With a recommended printing temperature range of 210 - 230°C, it ensures smooth extrusion and excellent print quality. This filament is compatible with most 3D printers and is easy to use, whether you're a beginner or an experienced maker. Customize your 3D prints with this unique filament and bring your ideas to life!

Our Product Introduction




Accurate 3D Printer Filament Diameter

Ensuring smooth and uniform extrusion for superior prints.




ENVIRONMENTALLY FRIENDLY

NON-TOXIC AND HARMLESS DEGRADABLE



THE CHOICE OF "STRONG AND TOUGH"



Model	PLA+
Net Weight (KG)	1KG
Gross weight	1.3KG
Packing box size	200×200×64mm
Color	Matte Mint Green
Diameter(mm)	1.75mm
Tolerance(mm)	±0.02mm
Print Temperature (°C)	200-230°C
Base plat Temperature (°C)	60°C
Density	1.23±0.05g/cm ³
Printing Speed	40-100m
Melt Index	14-18g/10min (190°C, 2.16kg)
Bubble	100% without bubble
Length of Line (Ø 1.75±0.2mm)	1.75mm=330m
Tensile strength	≥62Mpa
Flexural modulus	1970 Mpa
Izod Notch Impact Strength	7KJ/m ²
Elongation at Break	52 or 53 (°C, 0.45Mpa)
Hydroscopicity	0.005
Reel Size	Ø20.0cm * 6.4cm H

About us

WHY CHOOSE US ?

Qingyuan iBOSS Intelligent Technology Co., Ltd.



SERVICE

Professional team to provide you with efficient service.

QUALITY

With strict quality control system, quality first

ODM&OEM

We have more than 30 years of OEM and ODM experience

FACTORY SCALE

We have 400 square meters for this office and 2,000 square meters for the factory



Certifications



iBOSS Qingyuan iBoss Smart Technology Co., Ltd.

0086 15116273361

manager2@iboss3d-

2nd
Floor,Decheng
Technology
Park,No.42

export.com

Shilong Road, Shijiao Town, Qingcheng District,Qingyuan,Guangdong Province,China