Qingyuan,china

US\$8.5/ROLL

5-7days

1kg

L/C,D/A,D/P,T/T,

1000000kg

1KG/PCS, packed into a 30\*35CM PU

CTNs(21.5\*20.5\*6.9CM) in a 43.1\*23.2\*43CM box,

vacuum shrink bag, 12 corrugated aircraft

iBOSS

ROSH

PLA+

## iboss 1.75mm Matte Dark Blue 1kg FDM Forming Technology 3d Printing Filament

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 48kg/rolls
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

### Product Specification

- Weight:
- Trademark:
- Density:
- Package Size:
- Spool Weight:
- Type:
- IBoss 1.25g/cm3 21.00cm \* 21.00cm \* 7.00cm 1kg/roll PLA+ Matte
- NON-TOXIC AND HARMLESS DEGRADABLE

ENVIRONMENTALLY FRIENDLY

#### More Images







### **Product Description**

## iboss 1.75mm Matte Dark Blue 1kg FDM Forming Technology 3d Printing Filament

Introducing our iboss 1.75mm Matte Dark Blue 3D printing filament, a top - choice for FDM forming technology. With a net weight of 1kg, it offers an extended printing time. The matte dark blue finish gives your prints an elegant and professional look. This filament has a diameter tolerance of  $\pm 0.02$ mm, ensuring smooth and consistent extrusion. It's compatible with most FDM printers and has a recommended printing temperature of 200 - 230°C. Manufactured with high - quality materials, it guarantees strong and durable prints. Ideal for various applications, from DIY projects to professional prototyping.





## **SUITABLE FOR ALL** 3D PRINTERS ON THE MARKET



# **PODUCT FEATURES**

IMPORTED RAW MATERIALS

Use imported superior raw materials Standardized manufacturing process The production quality is guaranteed







High quality ensures the efficiency of operation,PLA: No Bubble,No Clogging

# **HIGH TOUGHNESS**

Compared with pla,the toughness is greafly improved: No Cracking,Minimal Warping





## Eco-friendly Non-toxic

Using natural degradable raw materials,Environmental protection, non-toxic and harmless

# SIMPLE OPERATION

Can be printed directly without heated build platfom





## Low warping

Low warping, stable and efficient

suitble for printinglarge models

Model Net Weight (KG) Gross weight Packing box size Diameter(mm) Tolerance(mm) Print Temperature (°C) Base plat Temperature (ºC) Density **Printing Speed** Melt Index Bubble Length of Line (Ø 1.75±0.2mm) **Tensile strength** Flexural modulus Izod Notch Impact Strength **Elongation at Break** Hydroscopicity Reel Size

PLA+ 1KG 1.3KG 200×200×60 1.75mm ±0.02mm 200-230°C 60°C 1.23±0.05g/cm3 40-100m 14-18g/10min (190°C,2.16kg) 100% without bubble 1.75mm=330m ≥62Mpa

1970 Mpa 7KJ/m2 52 or 53 (°C, 0.45Mpa) 0.005 Ø20.0cm \* 6.4cm H

# About us



OINGVUAN IBOSS INTELLIGENT TECHNOLOGY CO. LTD

It is an international team full of enthusiasm for 3D printing. We produce the best 3D printing materials by controlling each stage of production. With a diverse portfolio of materials from high-performance plastics to unique aesthetic solutions, polymaker will continue to add cutting-edge materials to its growing portfolio. Adhering to the corporate philosophy of "integrity, focus, innovation and pragmatism", while striving for the company, the company continues to forge ahead and strive to promote the innovative development of the world's 3D printing industry.



With the mission of "developing green and environment-friendly 3D printing materials and promoting human sustainable development", the company is committed to enabling intelligent manufacturing with material technology and providing better product and service experience for users in the global 3D printing industry



